CRYSTAL NOUNTAIN PRODUCT BROCHURE





BLIZZARD A Pressure Water Fountain



The Blizzard is a free standing, mains pressure water fountain designed for rugged conditions. It provides the most modern design and materials available, and is engineered to the highest level of quality and dependability.





Gooseneck Faucet



Bubbler



Drain Outlet

Features

- Cooler cabinet Roto-Moulded HDPE
- 100% rust proof cabinet
- Optional filtration
- Optional gooseneck faucet
- Optional colours available (minimum order req., extended lead time)
- Vandal & impact resistant construction
- High cooling capacity
- Pressure Reducing Valve and Shock Arrestor protect from water mains pressure surges



Performance and Specifications

General

Pressurized water dispenser with Bubbler and optional Gooseneck Faucet, utilizing fan-assisted chilling technology to achieve high cooling capacity

Cooler Cabinet

Stylish design, with a conveniently located front access panel UV stabilized HDPE external cabinet - durable, modern and 100% rust proof

Faucet

Installed bubbler and optional gooseneck mechanical glass-filler faucet for optimum hygiene

Compressor Type

Hermetically sealed, PTC Starter with Overload Protector Refrigerant Charge R600a 92g (3.2 oz), CFC Free (220~240VAC 50Hz)

Noise: <= 61dB(A) (in Cabinet)





Dimensions and Freight Data

and the second second		
Contraction of the local division of the loc	The second second	Part of Carton
State of the second sec	All and	Sector Sector
		12.2
f		and the second
		Section of the
	Contractor Contractor	Contract of the
		the state
		100
and the second sec	State State State	
	The second second	Contraction of
1. 日本市地区市地区市地区市地区		
		C. E. Sha
		A.2. 3 -
		and the second
		Burner .
		5 Long and
		No. States
and the second second		
	A COMPANY COMPANY	

Model	Products Dimensions	s Box Dimensions WxDxH (mm/in.)	Product Weight (kg/lb)	Product Boxed Weight (kg/lb)	Loading Qty	
	WxDxH (mm/in.)				20FT	40FT
Blizzard	410x410x1150mm	430x430x1180mm	25.6 kg	29.9kg	130 units	270 units
	16.1"x16.1"x45.3"	16.9"x16.9"x46.5"	56.5 lb	65.8 lb		

All performances are tested in a controlled environment, certified by a third party. To learn more about these standards, please speak to your Crystal Mountain representative.



Crystal Mountain Products Limited

European Sales Office Fence House, Fence Avenue Macclesfield, Cheshire United Kingdom SK10 1LT Tel: +44(0) 1625 439 111 Fax: +44 (0) 1625 502 527 E-mail: cmeurope@crystalcoolers.com

North American Sales Office

200 Carnegie Drive, Suite 234 St. Albert, AB, T8N 5A7 Canada Toll Free: 800 878 6422 Tel: 1 780 454 4545 E-mail: sales@crystalcoolers.com

Crystal Mountain Products Inc.

US Office / Warehouse 1665 Westbelt Drive Columbus, Oh 43228 Outbound Door #2 Tel: (614) 454 1618 Fax:(614) 409 9782 E-mail: sales@crystalcoolers.com

Crystal Mountain International Limited

Hong Kong Sales Office Room 610, Winfield Commercial Building 6-8a Prat Avenue, Tsimshatsui Kowloon, Hong Kong Tel: (852) 2368 1989 Fax: (852) 3017 6727 E-mail: cmasia@crystalcoolers.com



Website: www.crystalcoolers.com

Crystal Mountain has a policy of continuous development and reserves the right to change specifications without notification.

